

2JF0201P

GNSS/L1L2L5L6 Flexible Polymer Adhesive Mount

Key Features

GPS/GLONASS/BeiDou/QZSS/Galileo/
/IRNSS/SBAS/L1L2L5L6

- 1176-1606 MHz

Self-Adhesive

Multi-Band-Constellation

Flexible Material

High Performance

Ground Plane Independent

Dimensions 45.4 × 45.4 × 0.2 mm

Customizable Cable and Connector



1. Antenna and electrical specifications

Parameters	GNSS Antenna			
	GPS/Glonass/BeiDou/QZSS/Galileo/IRNSS/SBAS/L1L2L5L6			
Technologies	GPS/Glonass/BeiDou/QZSS/Galileo/IRNSS/SBAS/L1L2L5L6			
Bandwidth (MHz)	1176-1208	1227-1246	1268-1279	1561-1606
Bands	L5	L2	L6	L1
Frequency (MHz)	1176.45, 1207.14	1227.6, 1246.00	1268.52, 1278.75	1561.09, 1575.42, 1602
Standards	GPS(L5), BeiDou(B2a, B2b), QZSS(L5), Galileo(E5a), IRNSS(L5)	GPS(L2C), GLONASS(L2OF), QZSS(L2C)	GPS(L6), BeiDou(B3), QZSS(L6), Galileo(E6)	GPS(L1C), GLONASS(L1OF), BeiDou(B1), QZSS(L1C), Galileo(E1), SBAS (L1)
Return Loss (dB)	~-12.8	~-16.6	~-9.3	~-21.8
VSWR	~1.6:1	~1.4:1	~2.1:1	~1.2:1
Efficiency (%)	~75.0	~76.2	~74.2	~79.9
Passive Peak Gain (dBi)	~-3.2	~-3.1	~-2.9	~-4.9
Average Gain (dB)	~-1.3	~-1.2	~-1.3	~-1.0
Impedance (Ohms)	50			
Polarisation	Linear			
Radiation Pattern	Omni-Directional			
Max. Input Power (W)	25			
Connector Type	U.FL Standard (Other Connectors Available)			
Cable Length	100mm Standard (Any Cable Length Available)			
Cable Type	1.37mm Mini-Coax Standard (Other Cables Available)			

Antenna Measurement Conditions:

Mounted on 30 x 30 x 0.25 cm ABS Plastic Plate



100 mm 1.37 mm Micro Coax Cable



Measured in Certified CTIA 3D Anechoic Chamber



2. Mechanical and environmental specifications

Specifications	2JF0201P
Mounting Type	Adhesive Mount
Dimensions (mm)	45.4 × 45.4 × 0.2
Material	Flexible Polymer
Operating Temperature (C)	-40 to +85
Storage Temperature (C)	-40 to +85


3. Antenna parameters









Radiation pattern reference



1176 AND 1227 MHz Radiation pattern




1268 AND 1561 MHz Radiation pattern



1575 AND 1602 MHz Radiation pattern

4. Antenna drawings



5. Antenna Images

